

Technical data sheet

1960 siarexx



| | |
|-----------|------------|
| Status: | Ok |
| Approval: | 13.12.2021 |

| Classification | Public series |
|-----------------------|--|
| Product type: | Coated abrasives |
| Main industries: | Building Interior Furniture Production |
| Further industries: | Kitchens Panels Parquet Windows and Doors |

| Product profile | |
|------------------------|--|
| Grit type: | Aluminium oxide |
| Grit range (total): | 40; 60-320; 400-600 |
| Backing: | c-wt paper (FSC-certified), b-wt paper (FSC-certified) |
| Coating: | Electrostatic open |
| bonding: | Resin over resin |
| Special coating: | Stearate P080 – P600 |
| Equipment: | |

| Properties | | Technology |
|-------------------|---------------------|---|
| Removal rate: | 8 - high | - Open coating - S Performance - siafast - siasoft |
| Lifetime: | 8 - long | |
| Finishing: | 8 - good | |
| Flexibility: | 9 - highly flexible | |
| Contact pressure: | | |

| Advantages | |
|-----------------------|---|
| Building Interior: | <ul style="list-style-type: none">- Universal all-round product for wood and lacquer- High level of flexibility guarantees trouble-free sanding of corners and edges- Low clogging- Good finish properties |
| Furniture Production: | <ul style="list-style-type: none">- Universal all-round product for wood and lacquer- High level of flexibility guarantees trouble-free sanding of corners and edges- Low clogging- Good finish properties |

| Applications | |
|-----------------------|--|
| Building Interior: | <ul style="list-style-type: none"> - Sanding off rusted parts - Sanding off old varnish, paints and stains - Sanding off old paint and varnish - Sanding off raised wooden fibres - Sanding floorboards - Sanding wooden terraces and pool surrounds - Sanding off brittle or poorly adhesive paints - Keying or sanding surfaces - Keying smoothed surfaces - Keying surfaces for better paint adhesion - Fine sanding of surfaces - Flatting uneven areas - Flatting lightweight construction walls - Structuring wooden beams |
| Furniture Production: | <ul style="list-style-type: none"> - Keying of solid wood - Intermediate sanding of varnishes on surfaces and curves - Keying of primers, primer fillers and bodyfillers - Final sanding as preparation for painting |

| Material | | |
|--------------------|--|--|
| Building Interior: | <ul style="list-style-type: none"> Dry wall lining boards Lacquers Lacquers Lacquers Lacquers Lacquers Lacquers Mineral materials Mineral materials Old lacquer Old paint Plaster Primer filler Primers Putty Wood Wood Wood | <ul style="list-style-type: none"> ○ Plastics ○ Dry wall lining boards ● Water-based varnish ● Polyester lacquer ● PU lacquer ● NC lacquer ● UV lacquer ● Acrylic lacquer ○ Mineral fibreboard ● Solid surface material ● Old lacquer ● Old paint ○ Plaster ● Primer filler ● Primer coat ● Putty ● Resinous wood ● Hardwood ● Softwood |

| Material | | |
|-----------------------|--|--|
| Furniture Production: | Coatings Coatings Coatings Coatings Coatings Coatings Coatings Coatings Coatings Coatings Coatings Minerals Minerals Plastics Plastics Solid wood Solid wood Solid wood Wood-based materials | <ul style="list-style-type: none"> ● Putty ● Water-based varnish ● Polyester lacquer ● PU lacquer ● NC lacquer ● UV lacquer ● Acrylic lacquer ● Old paint ● Old lacquer ● Primer filler ● Primer coat ○ Dry wall lining boards ○ Plaster ● Plastics ● Solid surface material ● Hardwood ● Resinous wood ● Softwood ○ Mineral fibreboard |

| Conversion forms | Upper conversion | Lower conversion |
|---|--------------------|---|
|  | Rolls | - Jumbo rolls - Paper rolls - siafast rolls |
|  | Sheet | - half sheets - standard sheet |
|  | Strips | - siafast strips - Various strips |
|  | Delta and polygons | - Delta and polygons |
|  | Discs | - siafast discs - Self-adhesive discs - Various discs |

| Application | Superordinate group | Subgroup |
|---|--------------------------|-----------------------|
|  | Portable machine sanding | random orbital sander |
|  | Portable machine sanding | Orbital sander |
|  | Portable machine sanding | Delta sander |
|  | Manual sanding | Manual sanding |

Technical data sheet

1960 siarexx



| Application | Superordinate group | Subgroup |
|---|----------------------------|----------------|
|  | Manual sanding | Manual sanding |
|  | Stationary machine sanding | Rolls |
| cut: | | |

| Details | |
|-------------------------|--|
| No suitability for: | - glass sanding |
| Sanding recommendation: | |
| Safety recommendation: | <ul style="list-style-type: none"> - Pay attention to the abrasives safety data sheet (available from sia Abrasives) - Follow the general FEPA safety recommendations - Use eye and face protection - Use an effective dust extraction unit or wear a fine dust mask |

| Communication | | | |
|-----------------|---|---------------------------|------------------|
| Claim: | the benchmark on wood, lacquers and paints | | |
| Copy: | 1960 siarexx is a universal all-round product for manual and portable machine sanding and delivers impressive results in wood and lacquer applications. | | |
| Image material: | Product Top View (PTV) | Front side: ID | Rear side: ID |
| | Application image | Building Interior: ID 283 | Furniture ID 283 |
| | Product show: | | |
| | Macro shot: | | |
| | Packaging image: | | |
| | Product group image: | ID 1661 | ID 1660 |

- Main application
- Secondary application