

Version: 9 / GB

Replaces Version: 8 / GB

Revision: 17.08.2023 Print date: 31.08.23

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Hesse COOL-PROTECT HI 6600-9343

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Surface treatment of wood and other materials

1.3. Details of the supplier of the safety data sheet

Manufacturer

 Hesse GmbH & Co. KG

 Warendorfer Strasse 21

 59075 Hamm (Germany)

 Telephone no.
 +49 (0) 2381 963-00

 Fax no.
 +49 (0) 2381 963-849

 E-mail address
 ps@hesse-lignal.de

1.4. Emergency telephone number

Germany: +49 (0) 2381 788-612

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1), May produce an allergic reaction.

Supplemental information

Safety data sheet available on request.

2.3. Other hazards

EUH210

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

Hazardous ingredients

1,2-benzisothiazol-3(2H)-one CAS No. 2634-33-5



Version: 9/GB					
					Revision: 17.08.202
Replaces Version: 8 / GB					Print date: 31.08.23
EINECS no.	220-120-9				
Concentration		<	0,05	%	
Classification (Regu	ation (EC) No. 1272/2008) Acute Tox. 4	H302			
	Skin Irrit. 2	H315			
	Eye Dam. 1	H318			
	Skin Sens. 1	H317			
	Aquatic Acute 1	H400			
	Aquatic Chronic 2	H411			
Concentration limits	(Regulation (EC) No. 1272 Skin Sens. 1 H31		0,05 %		
reaction mass of: 5-c	hloro-2- methyl-4-isothia		,	o. 247-500-7	1 and 2-methyl-2H
	C no. 220-239-6] (3:1); rea				
	nd 2-methyl-4-isothiazolin	-3- one	[EC no. 22	0-239-6] (3:	1)
CAS No.	55965-84-9		0.004	0/	
Concentration	ation (EC) No. 1272/2008)	<	0,001	%	
Classification (Regu	Acute Tox. 2	H330			
	Acute Tox. 2	H310			
	Acute Tox. 3	H301			
	Skin Corr. 1B	H314			
	Skin Sens. 1 Aquatic Acute 1	H317 H400			
	Aquatic Chronic 1	H410			
	Eye Dam. 1	H318			
Concentration limits	(Regulation (EC) No. 1272				
	Skin Corr. 1C H314		0,6 %		
	Skin Irrit. 2 H319 Eye Irrit. 2 H319		0,06 % 0,06 %		
	Skin Sens. 1 H31		0,0015 %		
	Eye Dam. 1 H318		0,6 %		
	Aquatic Chronic 1 H410		= 100		
	Aquatic Acute 1 H400) M =	= 100		
Note					
For explanation of al	obreviations see section 16				
SECTION 4: First aid m	easures				
4.1. Description of firs	t aid measures				
General information					
Remove affected pe	rson from danger area, lay				
	I attention. Get medical ad	vice/atte	ntion if you	feel unwell.	First aider: Pay attention

When spray fog inhaled, seek medical aid.

After skin contact

Wash off immediately with soap and water. Do NOT use solvents or thinners. Consult a doctor if skin irritation persists.



Version: 9/GB

Replaces Version: 8 / GB

Revision: 17.08.2023 Print date: 31.08.23

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice. Take medical treatment.

After ingestion

Do not induce vomiting. Take medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / treatment

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Recommended: alcohol resistant foam, CO2, powders, water spray/mist

Non suitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Fire will produce dense black smoke. In a fire, hazardous decomposition products may be produced. Exposure to decomposition products may cause a health hazard.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

In case of combustion evolution of dangerous gases possible. Use self-contained breathing apparatus.

Other information

Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water. Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not inhale vapours. Do not inhale gases. Do not inhale mist.

6.2. Environmental precautions

Do not allow to enter drains or waterways. Do not allow to enter soil, waterways or waste water canal. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Do NOT use solvents or thinners. Send in suitable containers for recovery or disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.



Version: 9/GB

Replaces Version: 8 / GB

Revision: 17.08.2023 Print date: 31.08.23

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed and dry in a cool, well-ventilated place. Avoid contact with skin and eyes. Avoid inhalation of vapour and spray mist. Do no eat, drink or smoke when using this product. Use personal protective clothing. For personal protection see Section 8.

Advice on protection against fire and explosion

Fight fire with normal precautions from a reasonable distance.

7.2. Conditions for safe storage, including any incompatibilities

Storage stability

Protect from frost.

Requirements for storage rooms and vessels

Keep only in the original container in a cool, well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hints on storage assembly

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

10

Storage classes

Storage class according to TRGS 510

Flammable liquids

Further information on storage conditions

Keep away from heat. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in accordance with the particular national regulations.

7.3. Specific end use(s)

See exposure scenario, if available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

Derived No/Minimal Effect Levels (DNEL/DMEL)

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1)

Type of value	Derived No Effect Level (DNEL)	
Reference group	Workers (industrial)	
Duration of exposure	Long-term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	0,02	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long-term	
Route of exposure	oral	
Mode of action	Systemic effects	



Trade name: Hesse COOL-PROTECT HI 6600-9343

Version: 9/GB

Replaces Version: 8 / GB

Revision: 17.08.2023 Print date: 31.08.23

Concentration	0,09	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long-term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	0,02	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short-term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	0,04	mg/m³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Short-term	
Route of exposure	Oral exposure	
Mode of action	Systemic effects	
Concentration	0,11	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Workers (industrial)	
Duration of exposure	Short-term	
Route of exposure	inhalative	
Mode of action	Local effects	
Concentration	0,04	mg/m³
Predicted No Effect Conc	entration (PNEC)	
	-2- methyl-4-isothiazolin-3-one [EC no. 2	47-500-71 and 2-methvl-2H
-isothiazol-3- one [EC no. 2	20-239-6] (3:1); reaction mass of: 5-chlo	ro-2- methyl-4-isothiazolin-3-
	ethyl-4-isothiazolin-3- one [EC no. 220-2	39-6] (3:1)
Type of value	PNEC	
Type	Marine	
Concentration	3,39	µg/l
Type of value	PNEC	
Type	Sewage treatment plant (STP)	

Type Concentration	Sewage treatment plant (STP) 0,23	mg/l
Type of value Type Concentration	PNEC Freshwater sediment 0,027	mg/kg
Type of value Type Concentration	PNEC Marine sediment 0,027	mg/kg
Type of value Type	PNEC Soil	



Trade name: Hesse COOL-PROTECT HI 6600-9343

Version: 9/GB

Replaces Version: 8 / GB

Revision: 17.08.2023 Print date: 31.08.23

Concentration	0,01	mg/kg
Type of value Type Concentration	PNEC Freshwater 3,39	µg/l

8.2. Exposure controls

Exposure controls

Users are advised to consider national Occupational Exposure Limits or other equivalent values. Provide for sufficient ventilation. This can be achieved by local exhaust or general exhaust air collection. Wear a suitable respirator if the ventilation is not sufficient to keep the solvent vapour concentration below the occupational limit values.

Respiratory protection

Avoid inhalation of vapour and spray mist. Use breathing apparatus if exposed to vapours/dust/aerosol. Recommended Filter type: Respiratory protection mask with combination filter A/P2

Hand protection

Protective gloves complying with EN 374.

Glove material Appropriate Ma

Appropriate Material	butyl-	rubber	
Material thickness	>=	0,5	mm
Breakthrough time	>=	120	min

This recommendation is valid only for the product named in this safety data sheet supplied by us, and only for the indicated intended use purposes.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

The breakthrough time must be greater than the end use time of the product.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance.

Eye protection

Safety glasses with side-shields conforming to EN166

Body protection

Wear suitable protective clothing. Remove contaminated clothing and wash it before reuse. Wash hands before breaks and after work.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	white
Odour	characteristic
Melting point	
Remarks	not determined
Freezing point	
Remarks	not determined
Boiling point or initial	boiling point and boiling range



Trade name: Hesse COOL-PROTEC Version: 9/GB					Revision: 17.08.202
Replaces Version: 8 / GB					Print date: 31.08.23
Value	82	to	100	°C	
Flammability	02		100	U	
not determined					
Upper and lower explosive	limits				
Remarks	not determined				
Flash point					
Value	> 60			°C	
Ignition temperature				-	
Remarks	not determined				
Decomposition temperatur					
Remarks	not determined				
pH value	not dotorminou				
Value	9,1				
Concentration/H2O	100				
Remarks	Not applicable				
Viscosity					
Remarks	not determined				
Solubility(ies)					
Remarks	not determined				
Partition coefficient n-octa	nol/water (log valu	le)			
Remarks	not determined				
Vapour pressure					
Remarks	not determined				
Density and/or relative der	nsitv				
Value	appr. 1,233			kg/l	
Temperature	20	°C		U	
Relative vapour density					
Remarks	not determined				
Particle characteristics					
Remarks	not determined				
9.2. Other information					
Odour threshold					
Remarks	not determined				
Solubility in water	not dotorninou				
Remarks	not determined				
Efflux time	not determined				
Value	35	to	45	S	
Temperature	20	°C	40	0	
Method	DIN 53211 - 6 m	m			
Explosive properties					
evaluation	not determined				
Oxidising properties					
Remarks	not determined				



Version: 9/GB

Replaces Version: 8 / GB

Revision: 17.08.2023 Print date: 31.08.23

Non-volatile content

Value Method 53 calculated value

%

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended storage and handling conditions (see section 7).

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

To avoid thermal decomposition, do not overheat.

10.4. Conditions to avoid

Isolate from sources of heat, sparks and open flame.

10.5. Incompatible materials

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide, nitrous oxides (NOx), dense black smoke, No decomposition if used as prescribed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute ora	l toxicity
-----------	------------

Method	Calculation method (Regulation (EC) No. 1272/2008)
Remarks	Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)

1,2-benzisothiazol-3(2H)-one Species LD50	rat 1193	mg/kg	
	0-239-6] (3:1); reaction	-3-one [EC no. 247-500-7] and 2-meth mass of: 5-chloro-2- methyl-4-isothia ne [EC no. 220-239-6] (3:1) mg/kg	
Acute dermal toxicity			
Method	Calculation method (Re	egulation (EC) No. 1272/2008)	
Remarks		a, the classification criteria are not met.	
Acute dermal toxicity (Com	ponents)		
	0-239-6] (3:1); reaction	-3-one [EC no. 247-500-7] and 2-meth mass of: 5-chloro-2- methyl-4-isothia ne [EC no. 220-239-6] (3:1)	
ATE	50	mg/kg	
Method	conversion		
Acute inhalational toxicity			
Method	Calculation method (Re	egulation (EC) No. 1272/2008)	



ersion: 9/GB	Revision: 17.08.20
eplaces Version: 8 / GB	Print date: 31.08.2
Remarks	Based on available data, the classification criteria are not met.
Acute inhalative toxicity	
reaction mass of: 5-chloro -isothiazol-3- one [EC no. 2	 p-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H p-2- methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one nethyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1) 0,05 mg/l 4 h Dust/Mist conversion value Mist
Skin corrosion/irritation	
Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.
Skin corrosion/irritation	(Components)
1,2-benzisothiazol-3(2H)-o evaluation	ne Irritating to skin.
-isothiazol-3- one [EC no. 2	 2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-on nethyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1) rabbit Severe skin irritation
Serious eye damage/irrita	ation
Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.
Serious eye damage/irrita	ation (Components)
1,2-benzisothiazol-3(2H)-o evaluation	ne Irritating to eyes.
Sensitization	
Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.
Sensitization (Componer	its)
1,2-benzisothiazol-3(2H)-o Reference substance evaluation	ne 1,2-benzisothiazol-3(2H)-one May cause sensitization by skin contact.
-isothiazol-3- one [EC no. 2	 -2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-on nethyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1) guinea pig Causes sensitisation on guinea-pigs.
Mutagenicity	
Method Remarks	Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met.
Reproductive toxicity	
Method	Calculation method (Regulation (EC) No. 1272/2008)



Revision: 17.08.2023

Trade name: Hesse COOL-PROTECT HI 6600-9343

Version: 9/GB

Method Remarks Calculation method (Regulation (EC) No. 1272/2008) Based on available data, the classification criteria are not met. Specific Target Organ Toxicity (STOT) Single exposure Method Calculation method (Regulation (EC) No. 1272/2008) Remarks Based on available data, the classification criteria are not met. Repeated exposure Remarks Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. 11.2 Information on other hazards Endocrine disrupting properties with respect to humans The product does not contain a substance that has endocrine disrupting properties with respect to humans. Other information No toxicological data are available. SECTION 12: Ecological information 12.1. Toxicity General information For this subsection there is no ecotoxicological data available on the product as such. Fish toxicity (Components) 1.2-benzisothiazol-3(2H)-one Species Oncortynchus mykiss (rainbow trout) LC50 L250 2.18 mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3 one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3 one [EC no. 247-500-7] and 2-methyl-4H -isothiazol-3 one [EC no. 247-500-7] and 2-methyl-4H -isothiazol-3 one [EC no. 247-500-7] and 2-methyl-4H -isothiazol-3 one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-o				Print data: 21.09.22
Remarks Based on available data, the classification criteria are not met. Specific Target Organ Toxicity (STOT) Single exposure Method Calculation method (Regulation (EC) No. 1272/2008) Remarks Based on available data, the classification criteria are not met. Remarks Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. 11.2 Information on other hazards Endocrine disrupting properties with respect to humans The product does not contain a substance that has endocrine disrupting properties with respect to humans. Other information No toxicological data are available. SECTION 12: Ecological information For this subsection there is no ecotoxicological data available on the product as such. Fish toxicity (Components) 1.2-benzisothiazol-3(2H)-one gale ng/l Species Oncorhynchus mykiss (rainbow trout) LC50 2,18 mg/l Uration of exposure 96 h mg/l Baperias of 5-chloro-2: methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3(2H)-one Species Oncorhynchus mykiss (rainbow trout) LC50 0,19 <	Replaces Version: 8 / GB			Print date: 31.08.23
Method Calculation method (Regulation (EC) No. 1272/2008) Remarks Based on available data, the classification criteria are not met. Remarks Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. 11.2 Information on other hazards Endocrine disrupting properties with respect to humans The product does not contain a substance that has endocrine disrupting properties with respect to humans. Other information No toxicological data are available. SECTION 12: Ecological information T2.1. Toxicity General information Fish toxicity (Components) I.2-benzisothiazol-3(2H)-one Species Oncorhynchus mykiss (rainbow trout) LCS0 2,18 mg/l Duration of exposure 96 h reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-7.50-7] and 2-methyl-4! J.2-benzisothiazol-3 one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-4! -methyl-4:isothiazolin-3- one [EC no. 220	Remarks	Based on available		
Method Calculation method (Regulation (EC) No. 1272/2008) Remarks Based on available data, the classification criteria are not met. Remarks Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. 11.2 Information on other hazards Endocrine disrupting properties with respect to humans The product does not contain a substance that has endocrine disrupting properties with respect to humans. Other information No toxicological data are available. SECTION 12: Ecological information T2.1. Toxicity General information Fish toxicity (Components) I.2-benzisothiazol-3(2H)-one Species Oncorhynchus mykiss (rainbow trout) LCS0 2,18 mg/l Duration of exposure 96 h reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-7.50-7] and 2-methyl-4! J.2-benzisothiazol-3 one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-4! -methyl-4:isothiazolin-3- one [EC no. 220	Single expective			
Remarks Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. 11.2 Information on other hazards Endocrine disrupting properties with respect to humans. The product does not contain a substance that has endocrine disrupting properties with respect to humans. Other information No toxicological data are available. SECTION 12: Ecological information To this subsection there is no ecotoxicological data available on the product as such. Fish toxicity (Components) 1,2-benzisothiazol-3(2H)-one Species 0.60000 (2.18) Section of exposure 96 Particition of exposure 96 Particition of exposure 96 Coord/ynchus mykiss (rainbow trout) LCS0 0.120-220-239-6] (3:1); reaction mass of : 5-chloro-2- methyl-4-sothiazolin-3- one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of : 5-chloro-2- methyl-4-sothiazolin-3- one [EC no. 247-500-7] and 2-methyl-4-sothiazolin-3- one [EC no. 247-500-7] and 2-methyl-2H Species 0.19 mg/l Duration of exposure 96 h Daphnia toxicity (Components) 1.2-benzisothiazol-3(2H)-one mg/l Species 0.19 mg/l Duration of exposure 96 h	Method			
Based on available data, the classification criteria are not met. 11.2 Information on other hazards Endocrine disrupting properties with respect to humans. The product does not contain a substance that has endocrine disrupting properties with respect to humans. Other information No toxicological data are available. SECTION 12: Ecological information 12.1. Toxicity General information For this subsection there is no ecotoxicological data available on the product as such. Fish toxicity (Components) 1.2-benzisothiazol-3(2H)-one Species Oncorthynchus mykiss (rainbow trout) LC50 LC50 Duration of exposure 96 h reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3(2H)-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1); Species Oncortrynchus mykiss (rainbow trout) LC50 LC50 0,19 mg/l Duration of exposure 96 h Daphnia toxicity (Components) 1.2-benzisothiazol-3(2H)-one Species 0,19 mg/l Duration of exposure 96 h Daphnia toxicity (Components) 1.2-benzisothiazol-3(2H)-one Species 0,19 mg/l Duration of exposure 96 h Daphnia toxicity (Components) 2.C50 2.94 mg/l Duration of exposure 48 h		Based on available	e data, the classific	ation criteria are not met.
Endocrine disrupting properties with respect to humans. The product does not contain a substance that has endocrine disrupting properties with respect to humans. Other information No toxicological data are available. SECTION 12: Ecological information 12.1. Toxicity General information For this subsection there is no ecotoxicological data available on the product as such. Fish toxicity (Components) 1,2-benzisothiazol-3(2H)-one Species Oncorhynchus mykiss (rainbow trout) LC50 2,18 Duration of exposure 96 reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-meth	•	e classification criter	ia are not met.	
The product does not contain a substance that has endocrine disrupting properties with respect to humans. Other information No toxicological data are available. SECTION 12: Ecological information 12.1. Toxicity General information For this subsection there is no ecotoxicological data available on the product as such. Fish toxicity (Components) 1.2-benzisothiazol-3(2H)-one Species Oncorhynchus mykiss (rainbow trout) LC50 2,18 Duration of exposure 96 reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3 one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1) Species Oncorhynchus mykiss (rainbow trout) LC50 0,19 mg/l Duration of exposure 96 h Decises Oncorhynchus mykiss (rainbow trout) LC50 LC50 0,19 mg/l Duration of exposure 96 h Daphnia toxicity (Components) mg/l mg/l LC50 0,19 mg/l Duration of exposure 96 h	11.2 Information on other ha	zards		
The product does not contain a substance that has endocrine disrupting properties with respect to humans. Other information No toxicological data are available. SECTION 12: Ecological information 12.1. Toxicity General information For this subsection there is no ecotoxicological data available on the product as such. Fish toxicity (Components) 1.2-benzisothiazol-3(2H)-one Species Oncorhynchus mykiss (rainbow trout) LC50 2,18 Duration of exposure 96 reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3 one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1) Species Oncorhynchus mykiss (rainbow trout) LC50 0,19 mg/l Duration of exposure 96 h Decises Oncorhynchus mykiss (rainbow trout) LC50 LC50 0,19 mg/l Duration of exposure 96 h Daphnia toxicity (Components) mg/l mg/l LC50 0,19 mg/l Duration of exposure 96 h	Endocrine disrupting prop	erties with respe	ct to humans	
No toxicological data are available. SECTION 12: Ecological information 12.1. Toxicity General information For this subsection there is no ecotoxicological data available on the product as such. Fish toxicity (Components) I,2-benzisothiazol-3(2H)-one Species Oncorhynchus mykiss (rainbow trout) LC50 2,18 mg/l Duration of exposure 96 h reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H	The product does not contain	-		pting properties with respect to
12.1. Toxicity General information For this subsection there is no ecotoxicological data available on the product as such. Fish toxicity (Components) 1,2-benzisothiazol-3(2H)-one Species Oncorhynchus mykiss (rainbow trout) LC50 2,18 Duration of exposure 96 nection mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1) Species Oncorhynchus mykiss (rainbow trout) LC50 0,19 Species Oncorhynchus mykiss (rainbow trout) LC50 0,19 Duration of exposure 96 buration of exposure 96 h mg/l Duration of exposure 96 buration of exposure 96 1,2-benzisothiazol-3(2H)-one mg/l Species Daphnia magna (Water flea) EC50 2,94 mg/l Duration of exposure 48 h		ailable.		
General information For this subsection there is no ecotoxicological data available on the product as such. Fish toxicity (Components) 1,2-benzisothiazol-3(2H)-one Species Oncorhynchus mykiss (rainbow trout) LC50 2,18 Duration of exposure 96 reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1) Species Oncorhynchus mykiss (rainbow trout) LC50 0,19 mg/l mg/l Duration of exposure 96 Species Oncorhynchus mykiss (rainbow trout) LC50 0,19 mg/l mg/l Duration of exposure 96 96 h Desphnia toxicity (Components) mg/l 1,2-benzisothiazol-3(2H)-one mg/l Species Daphnia magna (Water flea) EC50 2,94 mg/l Duration of exposure 48 h	SECTION 12: Ecological infor	rmation		
General information For this subsection there is no ecotoxicological data available on the product as such. Fish toxicity (Components) 1,2-benzisothiazol-3(2H)-one Species Oncorhynchus mykiss (rainbow trout) LC50 2,18 Duration of exposure 96 reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1) Species Oncorhynchus mykiss (rainbow trout) LC50 0,19 mg/l mg/l Duration of exposure 96 Species Oncorhynchus mykiss (rainbow trout) LC50 0,19 mg/l mg/l Duration of exposure 96 96 h Desphnia toxicity (Components) mg/l 1,2-benzisothiazol-3(2H)-one mg/l Species Daphnia magna (Water flea) EC50 2,94 mg/l Duration of exposure 48 h	12.1. Toxicity			
Fish toxicity (Components) 1,2-benzisothiazol-3(2H)-one Species Oncorhynchus mykiss (rainbow trout) LC50 2,18 mg/l Duration of exposure 96 h reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1) Species Oncorhynchus mykiss (rainbow trout) LC50 0,19 mg/l Duration of exposure 96 h Daphnia toxicity (Components) I,2-benzisothiazol-3(2H)-one Species Daphnia magna (Water flea) EC50 2,94 mg/l Duration of exposure 48 h	General information	no ecotoxicological (data available on th	ne product as such.
1,2-benzisothiazol-3(2H)-one Species Oncorhynchus mykiss (rainbow trout) LC50 2,18 mg/l Duration of exposure 96 h reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1) Species Species Oncorhynchus mykiss (rainbow trout) LC50 0,19 mg/l Duration of exposure 96 h Daphnia toxicity (Components) I,2-benzisothiazol-3(2H)-one Species Daphnia magna (Water flea) EC50 2,94 mg/l Duration of exposure 48 h		-		
SpeciesOncorhynchus mykiss (rainbow trout)LC502,18mg/lDuration of exposure96hreaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one[EC no. 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one[EC no. 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1)SpeciesOncorhynchus mykiss (rainbow trout)LC500,19Duration of exposure9696hDaphnia toxicity (Components)I,2-benzisothiazol-3(2H)-oneSpeciesDaphnia magna (Water flea)EC502,94EC502,94Duration of exposure48		-		
LC502,18mg/lDuration of exposure96hreaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3- one[EC no. 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1)SpeciesOncorhynchus mykiss (rainbow trout)LC500,19Duration of exposure96hDaphnia toxicity (Components)1,2-benzisothiazol-3(2H)-oneSpeciesDaphnia magna (Water flea)EC502,94EC502,94Duration of exposure48			kiss (rainbow trout	
Duration of exposure96hreaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one[EC no. 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1)SpeciesOncorhynchus mykiss (rainbow trout)LC500,19Duration of exposure9696hT,2-benzisothiazol-3(2H)-oneSpeciesDaphnia magna (Water flea)EC502,94Duration of exposure48A				
-isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1) Species Oncorhynchus mykiss (rainbow trout) LC50 0,19 mg/l Duration of exposure 96 h Daphnia toxicity (Components) 1,2-benzisothiazol-3(2H)-one Species Daphnia magna (Water flea) EC50 2,94 mg/l Duration of exposure 48 h	Duration of exposure		h	°
Daphnia toxicity (Components) 1,2-benzisothiazol-3(2H)-one Species Daphnia magna (Water flea) EC50 2,94 mg/l Duration of exposure 48 h	-isothiazol-3- one [EC no. 22 [EC no. 247-500-7] and 2-me Species LC50	20-239-6] (3:1); read ethyl-4-isothiazolin Oncorhynchus my 0,19	ction mass of: 5-c -3- one [EC no. 22 /kiss (rainbow trout	hloro-2- methyl-4-isothiazolin-3-one 0-239-6] (3:1)
1,2-benzisothiazol-3(2H)-oneSpeciesDaphnia magna (Water flea)EC502,94Duration of exposure48	•	ents)		
EC50 2,94 mg/l Duration of exposure 48 h	1,2-benzisothiazol-3(2H)-on	e	Nater flea)	
	EC50	2,94		mg/l
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one[EC no. 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1)SpeciesDaphnia magna (Water flea)EC500,16Duration of exposure48h	-isothiazol-3- one [EC no. 22 [EC no. 247-500-7] and 2-me Species EC50	20-239-6] (3:1); read ethyl-4-isothiazolin Daphnia magna (V 0,16	ction mass of: 5-c -3- one [EC no. 22 Water flea)	hloro-2- methyl-4-isothiazolin-3-one 0-239-6] (3:1)
Algae toxicity (Components)	•		-	
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H	• • •	•	zolin-3-one [EC no	o. 247-500-7] and 2-methyl-2H



Version: 9 / GB

Replaces Version: 8 / GB

Revision: 17.08.2023 Print date: 31.08.23

-isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1) Scenedesmus capricornutum (fresh water algae) Species FC50 0.018 ma/l Duration of exposure 72 h **Bacteria toxicity (Components)** reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1) activated sludge Species **EC50** 4.5 ma/l 12.2. Persistence and degradability **General information** For this subsection there is no ecotoxicological data available on the product as such. **Biodegradability (Components)** 1,2-benzisothiazol-3(2H)-one evaluation Readily biodegradable. reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1) Not readily biodegradable. evaluation 12.3. Bioaccumulative potential **General information** For this subsection there is no ecotoxicological data available on the product as such. Partition coefficient n-octanol/water (log value) Remarks not determined 12.4. Mobility in soil **General information** For this subsection there is no ecotoxicological data available on the product as such. Mobility in soil no data available 12.5. Results of PBT and vPvB assessment **General information** For this subsection there is no ecotoxicological data available on the product as such. **Results of PBT and vPvB assessment** The product contains no PBT substances The product contains no vPvB substances. 12.6 Endocrine disrupting properties Endocrine disrupting properties with respect to the envrionment The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms. 12.7. Other adverse effects Page 11(13)



Version: 9/GB

Replaces Version: 8 / GB

Revision: 17.08.2023 Print date: 31.08.23

General information

For this subsection there is no ecotoxicological data available on the product as such.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the pro-	duct
EWC waste code	080111 - waste paint and varnish containing organic solvents or other dangerous substances
EWC waste code	200127 - paint, inks, adhesives and resins containing dangerous substances
Where possible recycling is preferred to dis	sposal or incineration.
Do not allow to enter drains or waterways.	
modified product	
EWC waste code	080115 - aqueous sludges containing paint or varnish
	containing organic solvents or other dangerous substances
Dried residues	
EWC waste code	080112 - waste lacquers and waste paint except those falling under 080111
Disposal recommendations for packag	ing

E

EWC waste code

150110 - packaging containing residues of or contaminated by dangerous substances

Completely emptied packagings can be given for recycling.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	Not classified as dangerous in the meaning of transport regulations.	Not classified as dangerous in the meaning of sea and air transport regulations.	Not a dangerous substance as defined in the above regulations.

SECTION 15: Regulatory information ***

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC				
VOC (EU)	0,1	%	1	g/l
Other information All components are containe	d in the ENCS in	ventory.		
SECTION 16: Other informatic				

nazaru statements iisteu iii chapter 5	
H301	Toxic if swallowed.
H302	Harmful if swallowed.



Trade name: Hesse COOL-PROTECT HI 6600-9343

Version: 9/GB

Replaces Version: 8 / GB

Revision: 17.08.2023 Print date: 31.08.23

H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
CLP categories listed in (Chapter 3
Acute Tox. 2	Acute toxicity, Category 2
Acute Tox. 3	Acute toxicity, Category 3
Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Eye Dam. 1	Serious eye damage, Category 1
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Irrit. 2	Skin irritation, Category 2
Skin Sens. 1	Skin sensitization, Category 1
Abbreviations	
IMDG - International Mariti IATA - International Air Tra IATA-DGR - Dangerous G ICAO-TI - Technical Instru GHS - Globally Harmonize EINECS - European Inven CAS - Chemical Abstracts GefStoffV - Gefahrstoffver LOAEL - Lowest Observed NOAEL - Lowest Observed NOEL - No Observed Ad NOEC - No Observed Effe OECD - Organisation for E VOC - Volatile Organic Co Changes since the last ver versions. This safety datasheet only information or product spe The information provided i and belief at the date of its handling, use, processing, warranty or quality specific The information relates on used in combination with a	oods Regulations by the "International Air Transport Association" (IATA) ctions by the "International Civil Aviation Organization" (ICAO) ad System of Classification and Labelling of Chemicals tory of Existing Commercial Chemical Substances Service (division of the American Chemical Society) ordnung (Ordinance on Hazardous Substances, Germany) d Adverse Effect Level Effect Level verse Effect Level tet Concentration ct Level conpmic Cooperation and Development mpounds rsion are highlighted in the margin (***). This version replaces all previous contains information relating to safety and does not replace any product cification. n this Safety Data Sheet is correct to the best of our knowledge, information publication. The information given is designed only as a guidance for safe storage, transportation, disposal and release and is not to be considered a cation.